



FOCUS ON SPECIAL STEELS
FOR MORE THAN 20 YEARS



EXIPEI STEEL LIMITED

Add: 21F, JNF2909, Trend Center, Cheung Lee ST

Chai Wan, HongKong.

Tel: 0086 13986113628

E-mail: alex@exipei.com

Web: <https://exipei.com>



CONTENTS

Company Profile.....	02
Steel Tubes	03
– Hot Rolled Seamless Steel Tube	03
– Cold Drawn Seamless Steel Tube	05
– Honed Seamless Steel Tube	06
– Shaped Seamless Steel Tube	07
Steel Bars	08
– Carbon Structural Steel	08
– Alloy Structural Steel	09
– Tool & Die Steel	10
Factory Overview	11
Equipment	12

EXIPEI

COMPANY PROFILE

Exipei Steel Limited was founded in 1992, focused on the **Seamless Steel Tubes** and **Bars**. We are the agent of CITIC and TPCO with four warehouses in China which the total area is more than 80,000m². We have regular size in stock all the year round, the size was covered from 25mm to 1200mm. They can satisfy the demands from domestic and overseas.

Based on the development of international market, we merged two factories in 2004. One factory has 140mm Asell rolling mill to produce hot rolled seamless steel tubes, and the other to make production cold drawn tubes and bars with 250 tons and 400 tons rolling mills. It is worth mentioning that the cold drawn cylinder tubes can be skived roller and burnished to tolerance H7 or even better.

Our technicians are professional in oil, mechanical and hydraulic field and familiar with international standard. That is why our products earned good fame in EU, South-east Asia, Australia and South America countries etc. The exports volume of us can reach up to over 34,000 tons every year.

We are committed to serving every customer well. We are looking forward to someone who are judgmatic and sensible to choose and trust us, realizing in a true sense of resource sharing and achieving mutual benefit and win-win.

Hot Rolled Seamless Steel Tube

- ◆ S355J2G3 / S355J2H/ ST52/E355/E460K2/E470/20MnV6
- ◆ C45/1080/1026/1045/1518
- ◆ 4130/4140/4145/4340/4135/42CrMo4/42CrMoS4
- ◆ 52100/ SUJ2
- ◆ APL 5CT J55/N80Q/L80/C90/C95/T95/P110/Q125

Size Range

OD: 25–1200 mm ID: 20–800 mm Length:7–12.4 m

Delivery Condition

Hot rolled Annealed Normalized Q+T



Typical Size Range (Hot Rolled)

D/S	4-5	6-8	9-12	13-16	17-20	21-24	25-29	30-35	35-40	41-46	47-50	51-60	61-65	66-70	71-75	76-80	81-88	89-100	101-130	131-200	D/S
25																					25
32																					32
36																					36
40																					40
45																					45
48																					48
50																					50
54																					54
57																					57
60																					60
63																					63
65																					65
68																					68
70																					70
73																					73
75																					75
80																					80
83																					83
90																					90
93																					93
95																					95
98																					98
100																					100
102																					102
108																					108
112																					112
114																					114
118																					118
121																					121
125																					125
127																					127
133																					133
140																					140
146																					146
152																					152
160																					160
170																					170
180																					180
194																					194
200																					200
219																					219
229																					229
232																					232
245																					245
254																					254
273																					273
299																					299
325																					325
340																					340
350																					350
355																					355
377																					377
395																					395
402-406																					402-406
426																					426
450-457																					450-457
475-480																					475-480
500-508																					500-508
510-534																					510-534
711																					711
864																					864
1200																					1200
mm	4-5	6-8	9-12	13-16	17-20	21-24	25-29	30-35	35-40	41-46	47-50	51-60	61-65	66-70	71-75	76-80	81-88	89-100	101-130	131-200	mm

Noted:

- 1) D=outer diameter S=wall thickness
- 2) The zone with color means can be produced

Cold Drawn Seamless Steel Tube

- ◆ C20/C45
- ◆ E355/ E470/ ST52/34CrMo4
- ◆ 4140
- ◆ 52100 /SUJ2

Size Range

OD: 30–500mm ID: 22–450mm Length: 5–9m

Delivery Condition

NBK BKS



Honed Seamless Steel Tube

- ◆ 1020/1045/1026
- ◆ ST52/E470/20MnV6
- ◆ 4140

Size Range

OD: 28–325mm ID: 18–275mm Length: 3–7m

Delivery Condition

NBK BKS



Shaped Seamless Steel Tube

- ◆ 1020/1026/1045/1050
- ◆ 4130/4135/4140

Delivery Condition

Cold Drawn /Cold Rolled

Shape

Triangle, Hexagon, Square, Rectangle, Octagon or customized



Carbon Structural Steel

- ◆ ST52/E355
- ◆ 1020/1026/1045

Size Range / Delivery Condition

Hot Rolled ϕ 20–330 mm

Hot Forged ϕ 110–1200 mm

(ϕ 110–250 mm Hot rolled /forged)



Alloy Structural Steel

- ◆ 4130/4140/4142/4145/4135/4340/8620/5120/5140

Size Range / Delivery Condition

Hot Rolled ϕ 20–330 mm

Hot Forged ϕ 110–1200 mm

(ϕ 110–250 mm Hot rolled /forged)



Tool & Die Steel

- ◆ D2/D3/D6/O1/A2/O2/D6/A8/S7
- ◆ H10/H11/H13/H21/L6
- ◆ P20/P20+S/P20+Ni/NAK80

Size Range / Delivery Condition

Round bars: ϕ 110–1200mm

Plate (Thickness X Width):


12–35 X 200–350mm

36–200 X 300–600mm



Factory Overview

Automatic Production Lines | Well Trained and Experienced Workers



Equipment

